

Waukesha County Jail Inspection 2025-006-050

July 10, 2025



ODO ASSISTED SELF-INSPECTION of the WAUKESHA COUNTY JAIL

Waukesha, Wisconsin

TABLE OF CONTENTS

FACILITY OVERVIEW	3
ODO ASSISTED SELF-INSPECTION PROCESS	4
FINDINGS BY FEDERAL PERFORMANCE BASED DETENTION STANDARDS (MAY 2025) MAJOR CATEGORIES	5
DETAINEE RELATIONS	6
ODO ASSISTED SELF-INSPECTION FINDINGS	6
CONCLUSION	6

INSPECTION TEAM MEMBERS



Team Lead Inspections and Compliance Specialist ODO ODO

FACILITY OVERVIEW

The U.S. Immigration and Customs Enforcement (ICE) Office of Professional Responsibility (OPR) Office of Detention Oversight (ODO) conducted an ODO assisted self-inspection process (OASIP) inspection of the Waukesha County Jail (WCJ) in Waukesha, Wisconsin, from June 11 to July 10, 2025, which included a 1-day on site visit on July 10, 2025. The facility opened in 1986 and is owned and operated by Waukesha County. The ICE Office of Enforcement and Removal Operations (ERO) began housing detainees at WCJ in 1986 under the oversight of ERO's Field Office Director in Chicago (ERO Chicago). The facility is a United States Marshals Service (USMS) contracted facility where ICE is an authorized user and operates under the USMS Federal Performance Based Detention Standards (FPBDS)(May 2025)...2

A facility administrator handles daily facility operations and manages support personnel. Trinity Services provides food services, WellPath provides medical care, and Aramark provides commissary services at the facility. The facility does not hold any accreditations from any outside entities. In November 2024, WCJ was audited for the Department of Justice (DOJ) Prison Rape Elimination Act (PREA) and was DOJ PREA certified.

Capacity and Population Statistics	Quantity	
ICE Bed Capacity. ³		
Average ICE Population ⁴		
Adult Male Population (as of July 10, 2025)		
Adult Female Population (as of July 10, 2025)		

This was ODO's first inspection of WCJ.

Office of Detention Oversight July 2025

Waukesha County Jail ERO Chicago

¹ This facility holds male and female detainees with low, medium-low, medium-high, and high security classification levels for periods less than 72 hours.

² In June 2025, all USMS contracted facilities where ICE is an authorized user changed from NDS 2019 to USMS FPBDS (May 2025).

³ Data Source: ERO Custody Management Division Authorized Facility List as of July 7, 2025.

⁴ Ibid

ODO ASSISTED SELF-INSPECTION PROCESS

In FY 2025, ODO implemented an OASIP, which replaces the annual Special Review inspections ODO conducted at most low average daily population (ADP) and/or short-term use facilities. This new inspection framework is more reflective of the actual operation demand of facilities with a low ADP and/or short-term use. OASIP inspections focus on facility compliance with USMS FPBDS (May 2025) requirements that directly affect detainee life, health, safety, and/or well-being. Facilities have 30 calendar days to complete the OASIP inspection and ODO staff will go on site towards the end of the 30-day inspection window to observe facility conditions, interview ICE detainees, and spot-check the facility's reported findings.

ODO identifies violations of USMS FPBDS (May 2025) as "deficiencies." ODO highlights instances when the facility resolves deficiencies prior to completion of the ODO inspection as corrective actions. Where applicable, these corrective actions are annotated with "C" under the ODO Assisted Self-Inspection Findings section of this report.

Upon completion of each inspection, ODO conducts a closeout briefing with facility and local ERO officials to discuss preliminary findings. A summary of these findings is shared with ERO management officials. Thereafter, ODO provides ICE leadership with a final compliance inspection report to: (i) assist ERO in developing and initiating corrective action plans; and (ii) provide senior executives with an independent assessment of facility operations. ODO's findings inform ICE executive management in their decision-making to better allocate resources across the agency's entire detention inventory.

FINDINGS BY FEDERAL PERFORMANCE BASED DETENTION STANDARDS (MAY 2025) MAJOR CATEGORIES

USMS FPBDS (May 2025) Standards Inspected. ⁵	Deficiencies			
A. Administration and Management				
Quality Control	0			
Facility Admission and Orientation Program	0			
Detainee Transfers and Releases	0			
Staffing	0			
Staff Training	0			
Emergency Plans	0			
Sub-Total	0			
B. Health Care				
Health Care Administration	0			
Intake Health Screening	0			
Medical, Mental Health, and Dental Appraisals	0			
Access to Health Care	0			
Provision of Health Care	0			
Incident Health Care	0			
Sub-Total	0			
C. Security and Control				
Use of Force/Non-Routine Application of Restraints	0			
Sub-Total	0			
D. Food Service				
Food Service Administration	0			
Food Storage and Preparation	0			
Detainee Meals and Special Diets	0			
Sub-Total	0			
F. Safety and Sanitation				
Fire Safety and Chemical Control	0			
Sanitation and Environmental Control	0			
Clothing and Bedding	0			
Sub-Total	0			
G. Services and Programs				
Classification and Housing	0			
Grievance Program	0			
Sub-Total	0			
Total Deficiencies	0			

⁵ For greater detail on ODO's findings, see the ODO Assisted Self-Inspections Findings section of this report.

DETAINEE RELATIONS

ODO interviewed four detainees, who each voluntarily agreed to participate. None of the detainees made allegations of discrimination, mistreatment, or abuse. All detainees reported satisfaction with facility services.

ODO ASSISTED SELF-INSPECTION FINDINGS

ODO found no deficiencies during the inspection.

CONCLUSION

During this OASIP, ODO assessed the facility's compliance with 21 standards under USMS FPBDS (May 2025) and found the facility in compliance with all 21 standards. This inspection is the facility's first inspection. Prior inspection data does not exist for ODO to perform a trend analysis. ODO recommends ERO Chicago continue to work with the facility in accordance with contractual obligations.

Inspection Results Compared	No Previous ODO Inspection	FY 2025 OASIP (FPBDS MAY 2025)
Standards Reviewed	N/A	21
Deficient Standards	N/A	0
Overall Number of Deficiencies	N/A	0
Priority Component Deficiencies	N/A	N/A
Repeat Deficiencies	N/A	N/A
Areas Of Concern	N/A	0
Corrective Actions	N/A	0
Facility Rating	N/A	Superior



Office of Professional Responsibility

